CATALOGUE 2024











BLACK+DECKER POWER TOOLS





CONTENTS	BD65RD	 4
DRILLS	TB555 KR5010 KR5010V KR554RE HD555	4 4 5 5 5
DRILL KIT	HD555K50 RT18KA HD555KMPR	 6 6 7
CORDLESS	BD40K27 BD40K27P BD40K4 BCRT8K35 KC4815 LD12SP BCD003C1 CD121K50 CD121B2 BCRTA01 KC3610 multi EV0 multi EV0	8 9 9 10 10 11 12 12 13 13 13 14 15
WOOD WORKING	CS1500 KW712 KA400 BES603 KS700PE KS900EKX	16 16 16 17 17 17
METAL WORKING	G650 G720R G720RW	 18 18 18
SPECIALITY TOOLS	KX1800 BDB530	 19 19
OTHERS	BDC8 BDC24L BC12 BC25	 20 20 21 21
WET & DRY VACUUM CLEANER	WDBD10 WDBD15 WDBDS30 BDWD08	 22 22 22 23

BD65RD - 6.5mm 400W ROTARY DRILL



Specifications

Power Input	400W
Speed	0-3000 rpm
Variable Speed	Yes
Reversible	Yes
Max Drill Capacity	Wood - 10mm
	Metal - 6mm

TB555 - 10mm 550W REVERSIBLE HAMMER DRILL



Specifications

Chuck Size	10mm
Speed	0-2900 rpm
Reversible	Yes
Standard Accessories : 1-Piece Drill, 1-Piece Chuck Key	

KR5010 - 10mm 550W SINGLE SPEED HAMMER DRILL



Power Input	550W
Chuck Size	10mm
Speed	2800 rpm
Impact Rate	47600 bpm
Max Drill Capacity	Wood - 20mm
	Steel - 10mm
	Masonry - 10mm

KR5010V - 10mm 550W VARIABLE SPEED HAMMER DRILL



Specifications

Power Input	550W
Chuck Size	10mm
Speed	0-2800 rpm
Impact Rate	0-47600 bpm
Max Drill Capacity	Wood - 20mm
	Steel - 10mm
	Masonry - 10mm

KR554RE - 13mm 550W VARIABLE SPEED HAMMER DRILL



Specifications

Power Input	550W
Chuck Size	13mm
Speed	0-2800 rpm
Beats Per Minute	0-47600 bpm
Max. Torque	4.5Nm
Max. Drill Capacity	Wood- 20mm
	Steel- 13mm
	Masonry- 13mm

HD555 - 13mm 550W VARIABLE SPEED HAMMER DRILL



Specifications

Power Input	550W
Chuck Size	13mm
Speed	0-2800 rpm
Impact Rate	0-45000 bpm
Max Drill Capacity	Wood - 20mm
	Steel - 13mm
	Masonry - 13mm

Standard Accessories : Side Handle and Depth Gauge

DRILL KITS

HD555K50 - 13mm 550W HAMMER DRILL KIT 50 TOOLS



Specifications

Power Input	550W
No Load Speed	0-2800 rpm
Beats Per Minute	0-45000 bpm
Chuck Type	Keyed
Chuck Size	13mm
Max Drill Capacity	Wood - 20mm
	Steel - 13mm
	Masonry - 10mm
Reverse Action	Yes
Variable Speed	Yes

Standard Accessories:

- 550W 13mm Hammer Drill Chuck key 4 x HSS Drill Bits
- 4 x Masonry Drill Bits 5 x 50mm Screwdriving Bits

RT18KA - ROTARY TOOL WITH ACCESSORIES KIT BOX



Specifications

Power Input 180W No Load Speed 0-35000 rpm

Standard Accessories:

- 1x Rotary Tool 1x Base Clamp 1x Hanging Frame 1x Flexible Shaft
- 1x Collet Spanner 3x Collets: 1/8", 3/32", 1/16" 23x Cutting Discs
- 31x Sanding Disc 1x Sanding Bit 18x Sanding Pads
- 9x Polishing Discs 1x Bronze Brush 1x Radial Bronze Brush 1x Regular Brush 1x Regular Radial Brush 3x Diamond Bits
- 3x Multi-Purpose Bits 2x Chucks 1x Chuck for polishing pads
- 1x Rectifying Stone 10x Grinding Stone 1x Plastic Box



DRILL KITS

HD555KMPR - 13mm 550W HAMMER DRILL WITH KIT 100 ACCESSORIES




Specifications

Power Input	550W
Chuck Size	13mm
Chuck Type	Keyed
No Load Speed	0-2800 rpm
Blows Per Minute	0-45000 bpm
Max. Drill Capacity	Steel – 13mm
	Masonry – 13mm
	Wood- 20mm

Standard Accessories:

- 550W 13mm Hammer Drill Chuck Key 1x Adjustable Wrench
- 1x6" Plier 1x Knife 1x Magnetic Bit Holder 1x Magnetic Driver
- 10x Screw Bits 5x Drill Bits for steel (2/3/4/5/6 mm)
- 5x Drill Bits for masonry (4/5/6/8/10 mm) 4x Drill Bits for Wood (4/5/6/8 mm) 30x Screws (φ 3/4/5) + 30x Wall Plugs (φ 5/6/8)



Measuring distance with tape measure

Sawing wood manully

Drilling holes in metal

BD40K27 - 3.6V Li-ion SCREWDRIVER WITH 27 ACCESSORIES





Specifications

Voltage	3.6V
Motor Size	380mm
Charger Input Connection	USB 2.0
Charging Time	1.5hr (BD40K2 7)
Switch	Push Type
Chuck Size	6.35mm (1/ 4")
No Load Speed*	320 rpm
Battery Capacity	1.5Ah
Intelligent Torque Adjustment	43835
Max Hard/Soft Torque	5/2.5Nm
Forward/Reverse Function	YES
Self-Locking Function	YES
Battery Capacity Warning	2 LED
LED Working Light	2 LED
Charging Indicator	5 LED
Weight	0.28kg

Standard Accessories:

- 1 pc hand tool: precision screwdriver
- Magnetic bit to avoid screw drop
- 8 pcs precision bits for glasses/clocks repair
- 2 pcs 50mm longer bit for in-depth screw use

BD40K27P - 4V PUSH & GO SCREWDRIVER - PINK



Voltage	4V Max
Motor Size	380mm
Charger Input Connection	USB 2.0
Charge Time	1.5hr
Switch	Push Type
No Load Speed	320 rpm
Battery Capacity	1.5Ah
Weight	0.28kg

Features

- Magnetic bit to avoid screw drop 50mm longer screw bits
- Extra hand tool precision screwdriver and bits for repair work



BD40K4 - 3.6V Li-ion SCR EWDRIVER WITH 4 ACCESSORIES





Specifications

Voltage	3.6V
Motor Size	38mm
Charger Input Connection	USB 2.0
Charging Time	1.5hr (BD40K2 7)
Switch	Push Type
Chuck Size	6.35mm (1/4")
No Load Speed*	320 rpm
Battery Capacity	1.5Ah
Intelligent Torque Adjustment	43835
Max Hard/Soft Torque	5/2.5Nm
Forward/Reverse Function	YES
Self-Locking Function	YES
Battery Capacity Warning	2 LED
LED Working Light	2 LED
Charging Indicator	5 LED
Weight	0.28kg

Standard Accessories:

- 1 pc hand tool: precision screwdriver
- 4 pcs precision bits for glasses/clocks repair

BCRT8K35 - 8V ROTARY TOOL WITH ACCESSORIES



Specifications	
Voltage	8 V Max
No Load Speed	3500-29500 rpm
No load Amps	1.5A
Bit holder	0.8, 1.6, 2.4, 3.2
Weight	0.38kg

KC4815 - 4.8V CORDLESS Ni-Cd SCREWDRIVER



Specifications	
Voltage	4.8V
Battery Type	Ni-Cd
Max Torque	3.5Nm
Speed	0-200 rpm
Reversible	Yes
Weight	0.24kg

Standard Accessories:

•1 Cordless Screwdriver •1 Charger •15 Bits •1 Magnetic Bit Holder

LD12SP - 12V Li-ion CORDLESS DRILL DRIVER WITH INTEGRATED BATTERY



Specifications Voltage 12V _ _ _ _ _ _ _ _ _ Chuck Size 10mm -----Speed 0-900 rpm -----Max. Drill Wood - 15mm _ Reversible Yes Weight 1.35kg

Standard Accessories:

•1 x Charger • 2 x Drill Bits •1 x Screwbit Adapter

• 10 x Screwdriver Bits • 1 x Kit Box



BCD003C1 - 10mm 18V CORDLESS HAMMER DRILL



Specifications

Voltage	18V
Battery Type	Lithium-Ion
Chuck Size	10mm
Speed	0-400/1400 rpm
Reversible	Yes
Max Capacity	Wood - 25mm
	Steel - 10mm
	Masonry - 10mm
Max. Torque	46Nm

Standard Accessories

- 1x18V / 1.5Ah lithium-ion slidepack battery 400mA charger
- Bit holder LED work light



CD121K50 - 12V CORDLESS Ni-Cd DRILL/DRIVER WITH 50 ACCESSORIES KITBOX



Specifications

Voltage	12V
Battery Type	1.3Ah, Ni-Cd
Chuck Size	10mm
Speed	0-1200 rpm
Chuck	Keyless, 17 Positions
Reversible	Yes
Max Drill Capacity	Wood - 25mm
	Metal - 10mm

Standard Accessories

- 12V drill/driver 1.3Ah Ni-Cd battery pack charger 1 double ended screwdriver bit 12 titanium coated high speed drill bits
- 4 wood drill bits
 4 wood spade bits
 3-50mm screwdriver bits
 20-25mm screwdriver bits
 4 nut driver
 2 screw finders
- 1 magnetic bit holder 1 kit box

CD121B2 - 12V Ni-Cd CORDLESS DRILL WITH 2 BATTERIES



Specifications

Voltage	12V
Battery Capacity	1.3Ah, Ni-Cd
Torque	8Nm
Chuck Size	10mm
No Load Speed	0-550 rpm
Weight	1.35kg
Charger	Charger Adapter
Output Current	450mA
Charging Time	5-7hr

Standard Accessories:

- 1 Cordless Drill 2 Batteries 1 Charger 15 Drill Bits
- 1 Magnetic Bit Holder

BCRTA01- 3.6V FURNITURE ASSEMBLY TOOL



Specifications

Voltage	3.6V
Battery Capacity	1.5Ah
Charger Output	400mA
Charging Time	1-3hr

Features

- A screwdriver directed to users who need to assemble furniture
- Key differentiator vs. other screwdriver is its exclusive chuck, that accepts the hex keys commonly shipped in IKEA-type furniture
- Accepts other bit types as well

KC3610 - 3.6V Ni-Cd SCREWDRIVER + 10 BIT SETS





Specifications

Battery Type	Ni-Cd
Battery Capacity	600mAh
Voltage	3.6V
Speed	200 rpm
Torque	3Nm
Pivot	No
Weight	0.26kg
Charger	Jack Plug
Output Current	300mA
Charge Time	1-3hr

Features

- Extensive range of Black+Decker set providing a wide offering across all price points
- High value sets with the most common components to suit the average DIY' er
- Exclusive Black+Decker sets distinctive packaging and design only available under the Black+Decker brand



Hammer Drill




Drill Driver

MT218K

- Removing rusty/old or damaged screws
 Driving large bolts/screws without
- needing a pilot hole
- Driving self tapping screws straight into metal work







All screwdriving applications
Drill holes in wood, metal and plastic





Jigsaw MTJS1



Router

MTRT8

•Straight or curved cuds in wood, metal and plastic



- \cdot Removing rusty/old or damaged screws
- Driving large bolts/screws without needing a pilot hole
- Driving self tapping screws straight into metal work



- Fitting door hinges and door locks
 Wood carving on flat surfaces
- Routing accurate joints e.g., dovetails
- Routing decorative edges on timber









High Pressure Inflator





- Ideal for inflating the tyres of cars, motorcycles, mopeds, bicycles, golf carts, caravans, boat and car trailers
- Can also inflate sports equipment such as beach balls, footballs etc

- Ideal for sanding woods, laminate flooring, stone, breezeblocks, plasterboard and for polishing and rust removal
- Ideal for scraping linoleum flooring tile adhesive, ceramic tile adhesive, removal of linoleum, carpet tiles and sealant removal
- Ideal for cutting wood, metal, plasterboard, laminate flooring, plastics and fiberglass



Detail Sander

MTSA2



Different Tools With A Single Click



Powered by POWERCONNECT[™] System -

WOOD WORKING

CS1500 - 1500W CIRCULAR SAW



Specifications

Power	1500W
Blade Size	185mm
Speed	5500 rpm
Cutting Depth @ 90°	62mm
Cutting Depth @ 45°	46mm
Beveling Shoe	0-45°

KW712 - 650W REBATING PLANER



Specifications

Power Input	650W
Speed	17000 rpm
Cutting Depth	0-2mm
Width of Cutting	82mm
Plannig Width	82mm
Rebating Depth	8mm
Blade Type	TC Reversible Blade

KA400- ¼" 220W SHEET SANDER



Power Input	220W
Speed	15000 rpm
Excentricity	0.8mm
Orbit Diameter	1.6mm
Paper Size	114 x 114mm
Platen Size	113.5 x 109mm
Dust Extraction	Dust Bag

WOOD WORKING

BES603 - 400 W VARIABLE SPEED JIGSAW



Specifications	
Power	400W
Strokes	3000 /min
Tool Free Blade Clamp	Yes
Lock On Switch	Yes
Bevel Cut	0-45 °
Depth of Cut (Wood/Steel/Aluminum)	65mm / 6mm / 10mm
Stroke Length	18mm
Dust Blower	Yes
Dust Extraction	Yes

KS700PE - 480W VARIABLE SPEED PENDULUM JIGSAW



Specifications

opeemedicins	
Power Input	480W
No load speed	0-3000 min ⁻¹
Cutting Depth	Wood - 60mm
	Steel - 5mm
	Aluminium -10mm
Bevel Cut	0-45°
Pendulum	Yes

KS900EKX - 600W VARIABLE SPEED PENDULUM JIGSAW WITH KIT



Specifications	
Power Input	600W
No load speed	800-3000 min ⁻¹
Cutting Depth	Wood - 85mm
	Steel - 5mm
	Aluminium -15mm
Weight	2.36kg
Pendulum	Yes

METAL WORKING

G650 - 100mm 650W SMALL ANGLE GRINDER



Specifications

Power	650W
Disc Diameter	100mm
Voltage	220-240V ~ 50/60Hz
Rate Speed	12000/min (rpm)
Spindle Size	M10
Cable Length	2m

Features

- Powerful 650W motor
- Compact design
- Spindle Lock
- Side handle with 2 positions
- Dust seal switch with lock for continuous use

G720R - 100mm 820WSMALL ANGLE GRINDER



Specifications

Power Input	820W
Speed	11000 rpm
Spindle Size	M10
Spindle Lock	Yes
Lock ON/Off Switch	Yes
Switch Type	Slider

G720RW - 4" 100mm 820W ANGLE GRINDER



Power	820W
Disc Diameter	100mm
No Load Speed	11000 rpm
Spindle Size	M10

SPECIALTY TOOLS

KX1800 - 1800W 2 SPEED HEAT GUN



Specifications

Power Input	1800W
Voltage	220-240V
Style	Pistol
Two Heat Setting	300°-580°C
Airflow	500/650 L/Min
Cable Length	2m

BDB530- 530W SINGLE SPEED BLOWER



Power	530 W
Frequency	50/60 Hz
No-load Speed	16000 /min
Air Volume	3.5 m³/min
Weight	1.6kg
Voltage	220-240 V



OTHERS

BDC8 - 8L COOLER AND WARMER



Specifications

Volume	8L
12V (Cold /Hot Mode)	approx. 48/42W
Cooling Capacity	Approx. 15℃-18℃ below ambient temperature
Warming Capacity	Approx. 50 $^\circ$ C-60 $^\circ$ C by set point thermostat
Insulation	Polystyrene foam with 100% CFC & HCFC free
Main Plastic Material	PP+ aluminum liner
Cable Length	AC power cord 1.8m with plug

BDC24L - 24L COOLER AND WARMER



Volume	24L
220V or 100V (Cold/Hot Mode)	approx. 60/50W
12V (Cold/Hot Mode)	approx. 50/45W
Cooling Capacity	Approx. 15℃-18℃ below ambient temperature
Warming Capacity	Approx. 50 $^\circ\!\!{\mathbb C}$ -60 $^\circ\!\!{\mathbb C}$ by set point thermostat
Insulation	Polystyrene foam with 100% CFC & HCFC free
Main Plastic Material	PP
Cable Length	1. AC power cord 1.8m with plug 2. DC power cord (3C) -2.0m

BC12 - 2/8/12Amp AUTOMATIC AND MANUAL CONTROL SMART CHARGER



Specifications

Charging Output	12.8V
Display Mode	LED
Rated Input Voltage	AC 110-220V
Charging Display	Green LED light
Rated Output Voltage	14.8+/-0.3V
Ambient Temperature	00 to +400

BC25 - 4/12/25Amp AUTOMATIC AND MANUAL CONTROL SMART CHARGER





Charging Output	12.8V
Display Mode	LED
Rated Input Voltage	AC 110-220V
Charging Display	Green LED light
Rated Output Voltage	14.8+/-0.3V
Ambient Temperature	00 to +400



WET & DRY VACUUM CLEANER

WDBD10



Motor Power (W)	220-240V, 50/60 Hz 1200W
Vacuum Pressure (KPa)	≥15
Suction Power (W)	120
Noise (dB)	≤84
Dust Capacity (L)	10
Filtration	HEPA filter
Power Cable Length (m)	3.5
N.W. (KG)	3.1

WDBDS30

10L WET & DRY VACUUM CLEANER WDBD10



With HEPA filter to capture even the smallest particles of dust, dander and other allergens Includes a variety of nozzles and brushes for a variety of vacuuming applications Comes with removable, washable and reusable dust bag Wheels for ease of movement



WDBD15

Motor Power (W)	220-240V, 50/60 Hz 1400W
Vacuum Pressure (KPa)	≥16
Suction Power (W)	140
Noise (dB)	≤85
Dust Capacity (L)	15
Filtration	HEPA filter
Power Cable Length (m)	5.0
N.W. (KG)	5.1

15L WET & DRY VACUUM CLEANER WDBD15



With HEPA filter to capture even the smallest particles of dust, dander and other allergens Includes a variety of nozzles and brushes for a variety of vacuuming applications Comes with removable, washable and reusable dust bag Wheels for ease of movement



Motor Power (W)	220-240V, 50/60 Hz 1600W
Vacuum Pressure (KPa)	≥17
Suction Power (W)	170
Noise (dB)	≤86
Dust Capacity (L)	25
Filtration	HEPA filter
Power Cable Length (m)	5.0
N.W. (KG)	7.6

30L WET & DRY VACUUM CLEANER WDBDS30



With an impact resistant stainless steel tank for longer usage life Washable HEPA filter is able to capture smallest of allergen



BDWD08 - 8L WET & DRY VACUUM CLEANER



Specifications	
Power	1000W
Voltage	220-240V
Frequency	50 Hz
Airflow	>=1.6 (m³/min)
Vacuum Pressure	14-19 Kpa
Noise (LpA)	<=90
Tank Capacity	8 L
Electrical Cord Length	5.5m



DIGITAL PRESENCE

- - @BlackandDeckerIndia
- Black+Decker India



@blackanddeckerindia

in Black+Decker India



- www.blackanddeckerindia.com
- https://www.sbdsmartorder.co.in

STANLEY BLACK & DECKER INDIA PVT. LTD.

28 Akemps, 3rd Main, 1st Cross, Ashwini Layout, Koramangala, Intermediate Ring Road, Bangalore - 560 047

E: sbd-customercommunications@sbdinc.com Toll Free: 1800 - 203 - 0644

